

Installation Guide

for

IBM Informix Dynamic Server

for UNIX and Linux

Version 9.3
August 2001
Part No. 000-8321

© Copyright International Business Machines Corporation 2001. All rights reserved.

Trademarks

AIX; DB2; DB2 Universal Database; Distributed Relational Database Architecture; NUMA-Q; OS/2, OS/390, and OS/400; IBM Informix[®]; C-ISAM[®]; Foundation.2000[™]; IBM Informix[®] 4GL; IBM Informix[®] DataBlade[®] Module; Client SDK[™]; Cloudscape[™]; Cloudsync[™]; IBM Informix[®] Connect; IBM Informix[®] Driver for JDBC; Dynamic Connect[™]; IBM Informix[®] Dynamic Scalable Architecture[™] (DSA); IBM Informix[®] Dynamic Server[™]; IBM Informix[®] Enterprise Gateway Manager (Enterprise Gateway Manager); IBM Informix[®] Extended Parallel Server[™]; i. Financial Services[™]; J/Foundation[™]; MaxConnect[™]; Object Translator[™]; Red Brick Decision Server[™]; IBM Informix[®] SE; IBM Informix[®] SQL; InformiXML[™]; RedBack[®]; SystemBuilder[™]; U2[™]; UniData[®]; UniVerse[®]; wintegrate[®] are trademarks or registered trademarks of International Business Machines Corporation.

Java and all Java-based trademarks and logos are trademarks or registered trademarks of Sun Microsystems, Inc. in the United States and other countries.

Windows, Windows NT, and Excel are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries.

UNIX is a registered trademark in the United States and other countries licensed exclusively through X/Open Company Limited.

Other company, product, and service names used in this publication may be trademarks or service marks of others.

Documentation Team: Bob Berry, Jennifer Leland, Karin Moore, Hanna Nelson, Cynthia Newton

Table of Contents

In This Guide	1
Types of Users	2
Related Reading	2
Documentation Notes, Release Notes, Machine Notes	3
Upgrading the Database Server	4
Preparing to Install Informix Products	4
Installation Checklist	6
Configuration Checklist	7
Installation Order	9
Installing on UNIX and Non-RPM Installed Linux	10
Preparing to Install for the First Time	10
Running the UNIX Bundle Installer	12
Setting Up the Environment	16
Setting Locale- and Platform-Specific Environment Variables	16
Using the Demonstration Database Server	19
Testing the Installation	19
Configuring Informix Products	20
Appendix A	Setting Up Specialized Installations
Appendix B	Solving Installation Problems
Appendix C	Using Alternative Installation Programs
	Index

In This Guide

This guide explains how to install your Informix Dynamic Server and Informix Dynamic Server with J/Foundation on the UNIX and Linux operating systems.

This guide also describes the following procedures for using the Informix UNIX Bundle Installer to install Informix products:

- Prepare to install Informix products ([page 4](#)).
- Install Informix products ([page 9](#)).
- Set up the environment ([page 15](#)).
- Test the installation ([page 18](#)).
- Configure the database server and other Informix products ([page 18](#)).

See [Appendix C](#) for information on how to:

- Use RPM to install the database server on your Linux system ([page C-1](#)). ♦
- Use **pkgadd** to install the database server on your Siemens UNIX system ([page C-5](#)). ♦

If your computer requires special installation procedures, follow the instructions in the installation letter included with the product materials before you continue with these installation instructions. Also see the machine notes file ([page 3](#)) for additional instructions,.

For information on specialized installations, such as silent installation, see [Appendix A, “Setting Up Specialized Installations.”](#)

If you encounter difficulties during installation, see [Appendix B, “Solving Installation Problems.”](#)

Linux

UNIX

Types of Users

This guide is written for database administrators (DBAs) who install Informix products. This guide assumes that you are familiar with the operating procedures of your computer and with your operating system. For information about your operating system, see your UNIX or Linux documentation.

Related Reading

The following publications provide additional information about the topics that this guide discusses:

- To upgrade from a previous version or migrate from a different database server to Informix Dynamic Server, see the *Informix Migration Guide*.
- For a list of publications that provide an introduction to database servers and operating-system platforms, refer to your *Getting Started* manual.
- For more information on how to configure and manage your database server, see the *Administrator's Guide for Informix Dynamic Server* and the *Informix Administrator's Reference*.
- For information on how to tune your database server, see the *Performance Guide for Informix Dynamic Server*.

Documentation Notes, Release Notes, Machine Notes

In addition to printed documentation, online files supplement the information in this guide. Examine these files before you install your database server. They contain vital information about application and performance issues.

The following online files appear in the `$INFORMIXDIR/release/en_us/0333` directory.

Online File	Purpose
<code>installU_docnotes_9.30.html</code>	The documentation notes file for your version of this guide describes features that are not covered in the guide or that were modified since publication.
<code>release_notes_9.30.html</code>	Release notes files describe compatibility issues, feature differences from earlier versions of Informix products, and how these differences might affect current products. Release notes also contain information about any known problems and their workarounds.
<code>machine_notes_9.30.txt</code>	The machine notes file describes any special actions that you must take to configure and use Informix products on your computer. Machine notes are named for the product described.



Important: *The release notes and documentation notes files contain important information for application development. Therefore you must make this information available to both developers and users. Informix recommends that you attach copies of these files to each set of documentation. The machine notes files contain information primarily of interest to system and database administrators.*

You can obtain the same notes and other installation information on the Web at <http://www.informix.com/informix/resource/>.



Upgrading the Database Server

When you upgrade from Version 7.x or Version 9.2x to Version 9.3 of the database server, the installation script overwrites the old version of the database server with the new version if you install in the same directory.

Important: When you upgrade to a new version of the database server, Informix recommends that you install the new version in a new location so that you can continue to run the old version as long as necessary.

For instructions on how to upgrade your database server from Version 7.x or Version 9.2x, see the *Informix Migration Guide*, Version 9.3.

Preparing to Install Informix Products

Before you install Informix products, follow these steps:

1. Review the documentation notes, release notes, and machine notes ([page 3](#)) for important information and instructions before you install your database server.
2. Apply operating-system patches, if applicable.
For patch information, see the machine notes file ([page 3](#)).
For patch information for your Linux computer, see the Informix Linux Web page at <http://www.informix.com/linux>. ♦
3. Perform any necessary pre-installation tasks as described in the machine notes file ([page 3](#)) for your operating system.

Linux

4. Locate your License Serial Number (S/N) and Key and electronic media (or product files).
 - If you received your product materials directly from Informix, the License S/N and Key appear on the serial number card, included with these materials.
 - If you received your product materials from an Electronic Software Download (ESD) vendor, the vendor provides you with these values.

If you do not have the serial number card or the proper media, contact your supplier or Informix sales representative.

5. Decide whether to configure role separation.

Role separation provides checks and balances to improve the security of your event-auditing procedures. Event auditing tracks selected activities that users perform. With role separation enabled, members of different UNIX groups manage and examine these records to ensure additional security.

You must follow the instructions in [“Preparing for Role Separation” on page A-2](#) before you install the database server.
6. Complete the [Installation Checklist](#) and [Configuration Checklist](#).

Installation Checklist

You need the following information to respond to prompts during the installation.

Informix Product Configuration

Operating-System Patches

Check the machine notes file for information on any required patches.

No

Yes, enter patch numbers:

\$INFORMIXDIR

Enter the directory in which to install Informix products.

Role Separation ([page A-1](#))

No

Yes, enter Administrative Group Names:

Security (DBSSO):

Auditing (AAO):

Standard-user access group:

Informix Products to Install

See your product media for available products.

License S/N

The License S/N consists of three uppercase letters, followed by a pound sign (#), followed by one uppercase letter and six digits.

Key

The Key consists of six letters.

Configuration Checklist

You need the following information to respond to prompts during the demonstration database server configuration.

Informix Bundle Installer Configuration

Configure a Demo IDS server

The Informix UNIX Bundle Installer automatically configures a basic database server that you can use as a template to customize to meet your requirements.

No
 Yes, you must also install Informix Dynamic Server.

Install Informix Server Administrator

No
 Yes, fill out the Informix Server Administrator Configuration checklist.

Informix Server Administrator Configuration

Port Number

Specify a port number for the ISA server between 1024 and 65536. For a list of port numbers currently in use, see the `/etc/services` file. (This list might not be complete for your installation.)

Host Name

Enter the name of the computer on which you are installing ISA.

ISA Administrator

Specify the email address of the ISA administrator. ISA uses this address to send problem reports. Informix recommends that you create an **isa-admin** alias for this purpose.

HTTP Server Password

Specify a password for the user **informix** when logging into ISA. Informix recommends that this password be the same as the password for user **informix**.

(For security, do not enter the password here.)

(1 of 2)

Informix Bundle Installer Configuration

Read-Only Users

Read-only users can monitor the database server but are not allowed to change the mode of the database server, add or remove storage, or perform other administrative tasks. You must provide user names and passwords for any read-only users that you add.

No

Yes, enter user names:

Install Server Setup

No

Yes, fill out the Server Setup Configuration checklist.

Server Setup Configuration

JRE Location

ISA Servlet Engine Port Number

Specify a port number for the ISA servlet engine between 1024 and 65536.

This must be a different number than the one you chose for the ISA HTTP server.

For a list of port numbers currently in use, see the `/etc/services` file. (This list might not be complete for your installation.)

Installation Order

The Informix UNIX Bundle Installer installs products in the correct order. If you install products separately or install additional products later, use the following order to install Informix products:

1. Install Dynamic Server.
2. Install Informix Connect.
3. Install the Verity Text DataBlade and Web DataBlade Modules.
4. Install Client SDK.

(The Client SDK is not included in the Informix UNIX Bundle Installer.)



Important: See the installation order chart in the “*Informix Client Products Installation Guide for UNIX, Linux, and Windows.*”

5. Install Informix tools.

Many Informix tools bundle Informix Connect. Do not install an older Informix Connect from a tool application over a newer Informix Connect. For more information, see your tools documentation.

6. Install other DataBlade modules.

Install DataBlade modules in order from the oldest to the newest versions. For information on how to install DataBlade modules, see the DataBlade module documentation.

If you install more than one Informix product, complete all installation procedures for one product before you start to install the next product. Do not load the files from another Informix product onto your computer until you complete the current installation.

Installing on UNIX and Non-RPM Installed Linux

To use the Red Hat Package Manager (RPM) to install the database server on your Linux system, see [“To install Informix products on a Linux system using RPM” on page C-1](#). ♦

To install the database server using the Informix UNIX Bundle Installer

1. If you are installing Informix products for the first time, complete the preinstallation procedure ([page 10](#)).
2. Run the UNIX Bundle Installer ([page 11](#)).

Preparing to Install for the First Time

The first time that you install an Informix product, you must:

1. Create a new **informix** group and user ([page 10](#)).
2. Create the **INFORMIXDIR** product directory ([page 11](#)).

Creating group and user informix

Tip: On HP systems, use the **sam** tool to create groups and users. On Solaris systems, use the **admintool** to create groups and users. Some systems use the **groupadd** utility to create groups and the **useradd** utility to create user entries. For more information, see your operating-system manual.

To create group informix and user informix

1. Log in as user **root**.
2. Create group **informix**:
 - a. Create group **informix** in the **group** file. On most UNIX and Linux systems, this file is **/etc/group**.
 - b. Assign an unused group ID equal to or greater than 100.



3. Create user **informix**:
 - a. Create a new entry called **informix** in the **/etc/passwd** file.
 - b. Assign an unused user ID equal to or greater than 100 for that user.
 - c. Assign the user to group **informix**.
 - d. Create a password for user **informix**.
4. If you use a network, propagate the new user name to all the systems on the network that must recognize user **informix**. For example, on some systems, you (or the network administrator) must run the **yppmake** utility.

The user **informix** is the database equivalent of the UNIX or Linux **root** account, so that anyone logged in as user **informix** has complete access to any Informix products and databases. Keep the user **informix** password confidential.

Informix products use group **informix** internally to control database access. Make user **informix** the *only* member of group **informix**. Any person who belongs to group **informix** is a database server administrator. If you make an actual user of an Informix product a member of group **informix**, you can allow unintended and uncontrolled database access. User accounts in group **informix** have all the privileges of user **informix** and can be used to disrupt the database server, either intentionally or unintentionally.



Creating the INFORMIXDIR Product Directory

Tip: To preserve product files of earlier versions, create separate directories for each version of your Informix products.

1. Log in as user **informix**.
2. Create a directory in which to install your Informix products.

This directory can be any directory that is local or is an approved NFS-mounted directory. Informix database servers support only certified versions of NFS. For information about the NFS products you can use to NFS mount a storage space for an Informix database server, see the product compatibility information on the Informix web site at:

`http://www.informix.com/idn-secure/pacc/prodcompat.html`

The standard Linux location for Informix products is **/opt/informix**. ♦

3. Set **\$INFORMIXDIR** to the directory you created in step 2. For example:

Bourne shell:

```
INFORMIXDIR=/work; export INFORMIXDIR
```

C shell:

```
setenv INFORMIXDIR /work
```

Running the UNIX Bundle Installer

Important: A database server must be installed in the same directory as any local client products that use it.

To run the UNIX Bundle Installer

1. Log in as user **root**.
2. If you are installing from a CD-ROM, insert it into the appropriate drive of your computer and use the **mount** command to mount the CD-ROM. For more information, see the **mount** manual page.

Linux



3. Change directories to the location of the installation media.
For example, if you are installing from CD-ROM and the mount point is **/cdrom**, enter:

```
cd /cdrom
```

4. If you are configuring role separation, follow the steps in [“Preparing for Role Separation”](#) on page A-2.
5. Enter the following installation command:

```
./ids_installer
```

The Informix UNIX Bundle Installer displays a list of products to install.

6. Enter the (space-separated) number(s) of the product(s) to install.

Important: *If you select to configure a Demo IDS Server, you must also select to install Informix Dynamic Server. The Informix UNIX Bundle Installer automatically configures a basic database server that you can use as a template to customize to your requirements.*

7. At the prompt, enter the directory in which to install products (**\$INFORMIXDIR**) ([page 11](#)).



8. If you enabled role separation by setting the `INF_ROLE_SEP` environment variable (p. A-4), the installation script prompts you to either:

- Press RETURN to continue the product installation with role separation enabled.
- Press Q to quit the installation.

If you did not set `INF_ROLE_SEP`, skip to step 9.

To install the product without role separation, unset the `INF_ROLE_SEP` environment variable and restart the installation at step 5.

To continue installation with role separation:

- a. At the prompt, enter the group name that you assigned to the DBSSO account (page 6).

This group becomes the group that owns the `$INFORMIXDIR/dbssodir` directory.

- b. At the prompt, enter the group name that you assigned to the AAO account (page 6).

This group becomes the group that owns the `$INFORMIXDIR/aaodir` directory.

- c. At the prompt, enter the name of the group that should be granted access to the database server (page 6).

Members of this group can access the database server. To grant access to all user groups, press RETURN.

- d. Press RETURN to accept the settings or Q to quit the installation.

For more information about role separation, see page A-1.

9. At the prompt, enter the 11-character License S/N (page 5).
10. At the prompt, enter the six-letter Key (page 5).
11. Press RETURN to continue the installation procedure. A series of messages similar to the following appear on the screen:

```
Installing Informix Dynamic Server with J/Foundation
```

12. If you choose to install ISA, you are prompted for additional information. Use the information from the [Informix Server Administrator Configuration](#) section of the “Installation Checklist” on page 6 to respond to the prompts.
 - a. Specify the port number for ISA (page 7).
 - b. Specify the host name of the computer on which you are installing ISA (page 7).
 - c. Specify the email address of the administrator for ISA (page 7).
 - d. Specify the HTTP server password (page 7).
 - e. Specify whether to allow read-only users and provide usernames and passwords for the read-only users (page 8).
 - f. Specify whether to install Server Setup. If you do not install Server Setup, skip to step i.
 - g. Specify the complete path (including filename) to the Java runtime executable (JRE) (page 8).
 - h. Specify the port number for the ISA servlet engine (page 8).
 - i. Enter Y to start ISA or press RETURN to skip this step.

If you choose to configure a Demo IDS, you see messages like the following:

```
Configuring Demo Informix Dynamic Server

Disk Initializing Demo Informix Dynamic Server

Demo Informix Dynamic Server is Online
Sample environment configuration can be
found in $INFORMIXDIR/demo/server/profile_settings
```

Another message follows this message that indicates that the installation is complete.

Important: If any error messages appear before the *Installation Complete* message appears, see Appendix B, “Solving Installation Problems.” Do not use the **oninit** command. If you use **oninit**, you might cause further installation problems.

The installation script changes the owner of the **INFORMIXDIR** directory to user **informix** as well as any subdirectories and files under the **INFORMIXDIR** directory that the user **informix** must access or control.

Tip: To uninstall Informix products installed with the Informix UNIX Bundle Installer or the installation script from a previous release, remove the directory in which you installed the product files (**\$INFORMIXDIR**).



Setting Up the Environment

Before users can use the database server, you must set up their environment.

For each user, set the following environment variables:

1. Set **INFORMIXDIR** to the directory where you installed the Informix products (see [page 11](#)).
2. Set the **PATH** environment variable to include **\$INFORMIXDIR/bin** as follows:

- C shell:

```
setenv PATH${INFORMIXDIR}/bin:${PATH}
```

- Bourne shell:

```
PATH=$INFORMIXDIR/bin:$PATH  
export PATH
```

Important: You must set **INFORMIXDIR** and add **\$INFORMIXDIR/bin** to the **PATH** for each user.



Setting Locale- and Platform-Specific Environment Variables

Depending on your installation, locale, and operating system, set the optional environment variables:

- **CLIENT_LOCALE** specifies a nondefault locale.

Set this environment variable *only* if you want to use a locale other than the default GLS (Global Language Support) locale, U.S. English.

The GLS feature allows you to create databases that use the diacritics, collating sequence, and monetary and time conventions of the language that you select. For more information, see the *Informix Guide to GLS Functionality*.

- **DBLANG** specifies the subdirectory of **\$INFORMIXDIR** that contains the customized language-specific message files that Informix products use.

Set this environment variable *only* if you do not want to use the default subdirectory, **\$INFORMIXDIR/msg/lg_tr/code_set**. For more information, see the *Informix Guide to GLS Functionality* and the *Informix Guide to SQL: Reference*.

- **INFORMIXSERVER** specifies the default database server to which an SQL API client or DB-Access makes an explicit or implicit connection. For more information, see the *Informix Guide to SQL: Reference*.
- **INFORMIXSQLHOSTS** specifies the file that contains the **sqlhosts** information.
- **INFORMIXTERM** specifies whether DB-Access should use the information in the **termcap** file or the **terminfo** directory.
- **TERM** enables DB-Access to recognize and communicate with the terminal that you are using.
- **TERMCAP** (or **TERMINFO**)

To verify that **TERM** and **TERMCAP** (or **TERMINFO**) are set correctly, invoke a text editor such as **vi**. An unformatted display indicates that these environment variables are not set correctly for your terminal.

- The shared-library path environment variable specifies the library search path and is platform-dependent.

Platform	Environment Variable
AIX	LIBPATH
HP-UX	SHLIB_PATH
Solaris and most other platforms	LD_LIBRARY_PATH

Set this environment variable to include **\$INFORMIXDIR/lib** and any of the **\$INFORMIXDIR/lib** subdirectories that apply to programs that you will use.

For example, on Solaris, set this environment variable as follows:

- Bourne shell:

```
LD_LIBRARY_PATH=$INFORMIXDIR/lib:$LD_LIBRARY_PATH
export LD_LIBRARY_PATH
```

- C shell:

```
setenv LD_LIBRARY_PATH${INFORMIXDIR}/lib:
\${LD_LIBRARY_PATH}
```

For more information, see the following table.

Description	Documents and Files
INFORMIX environment variables	<i>Informix Guide to SQL: Reference</i>
How to create or modify a /etc/termcap file	\$INFORMIXDIR/etc/termcap
Information about the /etc/termcap file	<i>Archive and Backup Guide for Informix Dynamic Server</i>
CLIENT_LOCALE and DBLANG environment variables	<i>Informix Guide to GLS Functionality</i>
List of computers that provide full support for the UNIX System V terminfo library	Machine notes file (see page 3)

Using the Demonstration Database Server

If you chose to configure a Demo Dynamic Server, the installation script automatically configures and initializes a sample database server named **demo_on** and sets the **ONCONFIG** environment variable to a sample **ONCONFIG** file, **\$INFORMIXDIR/etc/onconfig.demo**.

When the installation script initializes the demonstration database server, three databases, **sysmaster**, **syscdr**, and **sysutils**, are built automatically. However, because it takes several minutes to build these databases, the system is not completely initialized until messages like the following appear in the message log (**\$INFORMIXDIR/demo/server/online.log**):

```
09:28:59 'sysmaster' database built successfully.
09:29:00 'sysutils' database built successfully.
09:29:00 'syscdr' database built successfully.
```

The installation script creates additional configuration and log files to support the **demo_on** database server in **\$INFORMIXDIR/demo/server**. For information on the configuration settings for **demo_on**, see the **\$INFORMIXDIR/demo/server/profile_settings** file.

Testing the Installation

To test that the installation succeeded, run the following commands:

```
$ dbaccessdemo
$ dbaccess stores_demo
```

If the installation was successful, the **dbaccessdemo** script interacts with the database server to create and populate the **stores_demo** database. The **dbaccess** program enables you to access databases (**stores_demo** in this case) using SQL.

Configuring Informix Products

After you install the Informix products, you must configure the database server and other products. For most post-installation configuration tasks, see the *Administrator's Guide for Informix Dynamic Server*. In addition, you can perform the following configuration:

1. If you installed Informix Server Administrator (ISA), you can use it now to configure the database server.

If you did not start ISA during installation, start it now:

- a. Log in as **informix** or **root** and enter the following command to start ISA:

```
$INFORMIXDIR/ISA/sbin/isactl start
```

- b. Start your web browser and open:

```
http://<hostname><domain_name>:port_number/
```

- c. Log in with the username and password you provided during installation.

See the [Informix Server Administrator Configuration](#) section of the “[Installation Checklist](#)” on page 6.

For more information, see the ISA online help.

2. ISM is automatically installed with the database server, however you must configure it before it can work.

For more information, see the *Informix Storage Manager Administrator's Guide*. For information on how to configure ON-Bar and **ontape**, see the *Informix Backup and Restore Guide*.

3. You can ask your system administrator to modify the sample system startup script located in `$INFORMIXDIR/etc/ids-example.rc` (see the section on preparing UNIX startup and shutdown scripts in the *Administrator's Guide*) so that your database server starts whenever the computer is rebooted (for example, after a power failure).

The startup script should set the **INFORMIXDIR**, **PATH**, **ONCONFIG**, and **INFORMIXSERVER** environment variables and then execute **oninit**. Similarly, you can ask the system administrator to modify the shutdown script so that the database server shuts down in a graceful manner.

Setting Up Specialized Installations

This appendix covers four types of specialized installations of Dynamic Server that you can perform:

- [Setting Up Role Separation](#)
- [Performing a Silent Installation](#)
- [Setting Up a Private Installation](#)
- [Setting Up Multiple Residency](#)

Setting Up Role Separation

Role separation provides checks and balances to improve the security of your event-auditing procedures. Event auditing tracks selected activities that users perform. With role separation enabled, members of different UNIX groups manage and examine these records to ensure additional security.

The following table lists the two roles that you must set up.

Role Category	Role Definition
Database System Security Officer (DBSSO)	The DBSSO oversees the security concerns of the database server. Functions of this role include audit adjustment and changing security characteristics of storage objects.
Auditing Analysis Officer (AAO)	The AAO maintains and analyzes audits of the records of specific types of database activities. If someone attempts to circumvent or corrupt the security mechanism of the database, these actions can be traced.



Important: You must decide at installation time whether you want to activate role separation for the database server. You cannot disable role separation after you enable it. The only way to turn off role separation is to uninstall the database server and then reinstall it without role separation activated.

For detailed information on role separation, see the *Trusted Facility Manual*.

Preparing for Role Separation

To prepare for role separation, you must perform the following steps before you install the database server:

1. Set up separate administrative groups and accounts ([page A-3](#)).
2. Set up standard user accounts ([page A-3](#)).
3. Enable role separation ([page A-4](#)).

Creating the Administrative Groups and Accounts

To enable role separation, you must:

1. Create the special administrative (DBSSO and AAO) groups.
Assign unique names to the DBSSO and AAO groups, for example, **ixdbssso** and **ixaaao**.
2. Create two users, the Database System Security Officer (**DBSSO**) and the Auditing Analysis Officer (**AAO**).
Do not use **informix** or **root** for the **DBSSO** and **AAO** account names.
For audit purposes, Informix recommends that you establish one account for each individual who acts as a DBSSO or AAO. For example, **DBSSO1** and **DBSSO2** might be the account names for the **DBSSO** role and **dickAAO** and **janeAAO** might be the account names for the **AAO** role. In addition, all standard users should have separate account names.
3. Add the **DBSSO** user to the **ixdbssso** group and the **AAO** user to the **ixaaao** group.

For information on how to create groups and user accounts, see “[Creating group and user informix](#)” on page 10 or your operating-system documentation.

Setting Up a Group for Standard-User Access to the Database Server

By default, all user groups can access the database server. To access the database server, standard users must belong to one of the user groups. To restrict standard-user access to the database, create a special group. If you specify that group during the role-separation portion of database server installation, only members of that special group can access the database server.

Enabling Role Separation

After you set up the role-separation accounts, set the role-separation environment variable to implement role separation:

- Bourne shell:

```
INF_ROLE_SEP=1;export INF_ROLE_SEP
```

- C shell:

```
setenv INF_ROLE_SEP 1
```

After you set this environment variable, you are ready to install the database server with role separation.

Installation Method	Description	Operating System
Informix Bundle Installer	“Installing on UNIX and Non-RPM Installed Linux” on page 10.	UNIX
RPM	“To install Informix products on a Linux system using RPM” on page C-1.	Linux
pkgadd	“Installing on Siemens UNIX Using pkgadd” on page C-5.	UNIX

Performing a Silent Installation

A *silent installation* requires no user interaction with the installation program once you start the **ids_installer** script.

Important: You cannot perform a silent installation with RPM or **pkgadd**.

To perform a silent installation

1. Follow the steps in [“Preparing to Install Informix Products” on page 4](#) and [“Installing on UNIX and Non-RPM Installed Linux” on page 10.](#)
2. Follow steps 1 through 3 on [“Running the UNIX Bundle Installer” on page 12.](#)



3. Verify that **INFORMIXDIR** is set correctly (see [page 12](#)).
4. Run the **ids_installer** script:

```
ids_installer serial_number key product_code(s) options
```

where:

- *serial_number* is the 11-character License S/N ([page 5](#)).
- *key* is the six-letter Key ([page 5](#)).
- *product_code* is the short name associated with each product and *options* are any options associated with a particular *product_code*.

For information, enter:

```
ids_installer -help.
```

For example, to install Informix Dynamic Server with role separation and to install ISA and set up a demonstration database server, enter a command such as the following:

```
ids_installer serial_number KEY IDS ixao ixdbss0 ixuser IDSDEMO \  
ISA 1025 my_computer isa_admin my_password -y
```

Setting Up a Private Installation

Important: You cannot perform a private installation with *RPM* or *pkgadd*.

A *private installation* copies or links files from your conventional installation of the database server to a directory of your choice. The installation script creates the necessary files and directory structure that you need to run the database server in private database server mode. You do not need to be user **root** or **informix** to create or use a private installation. After you create the private installation, you own the critical resources and services such as the **sysmaster** database.

A private installation is useful because it allows a programmer who develops DataBlade modules and user-defined routines to attach a debugger and test code extensions to the database server without affecting the performance of the database server or the work of other users.

A private installation also allows a developer to create new functions, dynamically link them with the database server, execute them, and debug them without violating security.



Private Installation Restrictions

A private installation places the following restrictions on the database server:

- You must be the owner or belong to the group that is the owner of any chunks you access. A chunk is the largest unit of physical disk dedicated to database server data storage.
For more information on chunks, see the *Administrator's Guide for Informix Dynamic Server*.
- The database server does not have the privileges of user **root** or user **informix**.
- The database server does not support DBA tools, such as **dbschema**, **dbimport**, and **dbexport**.
- Other users cannot connect to a private installation of the database server.

Creating a Private Installation

A private installation does not affect a conventional installation of the database server. However, you must have already installed the database server on your system before you perform a private installation. For more information, see [“Installing Informix Products.”](#)

To create a private installation

1. Log in with the user ID that you intend to use for the private work.
2. Create a target directory where you want to install the private installation files. The directory can have any name and location that you choose.
3. Check that you have read and write permissions for the target directory.

4. Check that the shared-library path environment variable includes **\$INFORMIXDIR/lib**.

The name of this environment variable is platform-dependent. See the table on [page 18](#).

5. Change directories to **\$INFORMIXDIR**.
6. Enter the following command:

```
./installserver [-c | -l] target_directory
```

Enter **-c** to copy all files or **-l** to link files wherever possible.

7. After the installation is complete, configure the database server as you would a conventional installation.

For more information, see “[Configuring Informix Products](#)” on [page 20](#) and the *Administrator’s Guide for Informix Dynamic Server*.

Overriding Default Limits

When you run a conventional installation of the database server, **oninit** runs as user **root** and group **informix**. This arrangement permits the database server to override some default limits such as file-descriptor limits and memory limits. If you run a private database server installation, **oninit** runs as the user who invokes it and cannot override these limits itself. You might need to request that your system administrator increase these limits on your behalf.

Setting Up Multiple Residency

Multiple residency refers to multiple database servers and their associated shared memory and disk structures coexisting on a single computer.

Creating multiple independent database server environments on the same computer allows you to:

- **Separate production and development environments**
You can separate production and development environments to protect the production system from the unpredictable nature of the development environment.
- **Isolate sensitive databases**
You can isolate applications or databases that are critically important, either to increase security or to accommodate more frequent backups than most databases require.

When you use multiple residency, each database server has its own configuration file. Thus, you can create a configuration file for each database server that meets its special requirements for backups, shared-memory use, and tuning priorities.
- **Test distributed data transactions on a single computer**
If you are developing an application for use on a network, you can use local loopback to perform your distributed-data simulation and testing on a single computer. (See the section on using a local loopback connection in the *Administrator's Guide for Informix Dynamic Server*.) Later, when a network is ready, you can use the application without changes to application source code.

Planning for Multiple Residency

Running multiple database servers on the same computer is not as efficient as running one database server. You need to balance the advantages of separate database servers against the extra performance cost.

When you plan for multiple residency on a computer, consider the following factors:

- Memory

Each database server has its own memory. Can your computer handle the memory usage that an additional database server requires?

- Storage space

Each database server must have its own unique storage space. You cannot use the same disk space for more than one instance of a database server. When you prepare an additional database server, you must repeat some of the planning that you did to install the first database server. For example, consider these questions:

- Will you use buffered or unbuffered files? Will the unbuffered files share a disk partition with another application? (For more information on buffered and unbuffered files, see the section on direct disk access in the *Administrator's Guide*.)
- Will you use mirroring? Where will the mirrors reside?
- Where will the message log reside?
- Can you dedicate a tape drive to this database server for its logical logs?
- What kind of backups will you perform?

Creating a New Database Server

Before you set up multiple residency, you must install one database server as described in [“Installing Informix Products.”](#)

Important: You do not need to install more than one copy of the database server binary files. All instances of the same version of the database server on one computer can share the same executable files.

To create multiple residency of a database server

1. Prepare a new ONCONFIG configuration file and set the ONCONFIG environment variable to the new filename (page A-10).
2. If needed, set up connectivity for the new database server instance (page A-12).
3. Initialize disk space for the new database server instance (page A-12).
4. Prepare the backup environment for multiple residency (page A-12).
5. Modify the operating-system startup to start the new database server instances automatically (page A-13).
6. Check the INFORMIXSERVER environment variables for users (page A-14).

For more information, see the *Administrator's Guide for Informix Dynamic Server*.

Setting Up the ONCONFIG File

Each instance of the database server must have its own ONCONFIG configuration file. Make a copy of an ONCONFIG file that has the basic characteristics that you want for your new database server. Give the new file a name that you can easily associate with its function. For example, you might select the filename **onconfig.acct** to indicate the configuration file for a production system that contains accounting information.

Set the ONCONFIG environment variable to the filename of the new ONCONFIG file. Specify only the filename, not the complete path.

In the new configuration file, change the following configuration parameters:

- SERVERNUM

The SERVERNUM parameter specifies an integer (between 0 and 255) associated with a database server configuration. Each instance of a database server on the same host computer must have a unique SERVERNUM value. For more information, see the section on SERVERNUM in the *Administrator's Reference*.

- DBSERVERNAME

The DBSERVERNAME parameter specifies the dbservername of a database server. Informix suggests that you choose a name that provides information about the database server, such as **ondev37** or **hostnamedev37**. For more information, see the section on DBSERVERNAME in the *Administrator's Reference*.

- MSGPATH

The MSGPATH parameter specifies the pathname of the message file for a database server. You should specify a unique pathname for the message file because database server messages do not include the dbservername. If multiple database servers use the same MSGPATH, you cannot identify the messages from separate database server instances. For example, if you name the database server **ondev37**, you might specify **/usr/informix/dev37.log** as the message log for this instance of the database server.

- ROOTPATH and ROOTOFFSET

The ROOTPATH and ROOTOFFSET parameters together specify the location of the root dbspace for a database server. The root dbspace location must be unique for every database server configuration.

If you put several root dbspaces in the same partition, you can use the same value for ROOTPATH. However, in that case, you must set ROOTOFFSET so that the combined values of ROOTSIZE and ROOTOFFSET define a unique portion of the partition. For more information about ROOTPATH and ROOTOFFSET, refer to the chapter on configuration parameters in the *Administrator's Reference*.



Tip: You do not need to change ROOTNAME. Even if both database servers have the name **rootdbs** for their root dbspace, the dbspaces are unique because ROOTPATH specifies a unique location.

You might also need to set the `MIRRORPATH` and `MIRROROFFSET` parameters. If the root dbspace is mirrored, the location of the root dbspace mirror must be unique. For information about setting `MIRRORPATH`, see the *Administrator's Guide*.

Setting Up Connectivity Information

If you use the TCP/IP communication protocol, you might need to add an entry to the `services` file for the new database server instance. If you use the IPX/SPX communication protocol, you might need to modify the connection information for the NetWare server.

The `sqlhosts` file must have an entry for each database server. If Informix products on other computers access this instance of the database server, the administrators on those computers must update their `sqlhosts` files.

If you plan to use TCP/IP network connections with an instance of a database server, the system network administrator must update the `hosts` and `services` files. If you use an IPX/SPX network, the NetWare administrator must update the NetWare file-server information.

For information about these files, see the chapter on client/server communications in the *Administrator's Guide*.

Initializing Disk Space

Before you initialize disk space, check the setting of your `ONCONFIG` environment variable. If you have not set it correctly, you might overwrite data from another database server. When you initialize disk space for a database server, the database server initializes the disk space specified in the current `ONCONFIG` configuration file.



Warning: As you create new blobspaces or dbspaces for a database server, be sure to assign each chunk to a unique location on the device. The database server does not allow you to assign more than one chunk to the same location within a single database server environment, but it remains your responsibility as administrator to make sure chunks that belong to different database servers do not overwrite each other.

Preparing the Backup Environment for Multiple Residency

Depending on your backup method, you must prepare the backup environment for multiple residency.

Preparing for ON-Bar backups

ON-Bar allows you to back up data from various database server instances to a single storage device if the storage manager allows it. The storage manager keeps track of what data has been backed up. However, Informix recommends that you keep storage-space and logical-log backups on separate storage devices.

Preparing for ontape backups

When you use multiple residency, you must maintain separate storage-space and logical-log backups for each database server instance.

If you can dedicate a tape drive to each database server, use the continuous-logging option to back up your logical-log files. Otherwise, you must plan your storage-space and logical-log backup schedules carefully so that use of a device for one database server instance does not cause the other database server instance to wait. You must reset the ONCONFIG configuration parameter each time you switch backup operations from one database server instance to the other.

Modifying Operating-System Startup for Multiple Server Instances

You can ask your system administrator to modify the system startup script so that each of your database server instances starts whenever the computer is rebooted, for example, after a power failure (see [page 20](#)). For more information about startup scripts, see the section on preparing UNIX startup and shutdown scripts in the *Administrator's Guide*.

To start a second instance of a database server, change the ONCONFIG and **INFORMIXSERVER** environment variables to point to the configuration file for the second database server and then execute **oninit**. Do not change **INFORMIXDIR** or **PATH**.

Similarly, you can ask the system administrator to modify the shutdown script so that all instances of a database server shut down in a graceful manner.

Setting the INFORMIXSERVER Environment Variable

If a new instance of a database should be the default database server, users must reset the **INFORMIXSERVER** environment variable. Users might also need to update their **.informix** files.

If you use the **informix.rc** file to set environment variables for the users, you might need to update that file. The *Informix Guide to SQL: Reference* describes the **informix.rc** and **.informix** files.

Solving Installation Problems

If you received your product materials directly from Informix, this appendix describes the most common installation problems you might encounter and the corresponding solutions. This appendix covers:

- [Solving UNIX Bundle Installer Failures](#)
- [Solving installserver Script Failures](#)
- [Solving Problems After Installation](#)
- [Solving Problems Using Informix Products](#)

Linux

If you experience problems with RPM, see [“Solving RPM Failures”](#) on page C-3. ♦

If any of the outlined problems persist, contact Informix Technical Support. In North America, call toll-free (800) 274-8184 or send a facsimile to (913) 599-8590. Outside North America, contact your distributor or the nearest Informix subsidiary.



Important: *If you receive your Informix product materials from an ESD vendor, consult the vendor documentation for information on how to solve any problems you might encounter.*

Solving UNIX Bundle Installer Failures

The following problems might occur when you run the **ids_installer** script.

- **Problem.** When you attempt an installation, the following message appears:

```
Please rerun this installation procedure as root.
```

Solution. Make sure that you are logged in as user **root**.

- **Problem.** After you enter the License S/N and KEY, the following message appears as different directories are installed:

```
Invalid serial number and/or key.
```

Solution. Make sure you enter the correct License S/N value and Key.

Important: If you continue to have problems running the **ids_installer** script in your environment, try running the individual installation scripts provided with your Informix product. For example, to install Dynamic Server, run the **\$INFORMIXDIR/installserver** script.



Solving installserver Script Failures

The following problems might occur when you run the **installserver** script, for example, to set up a private installation ([page A-5](#)).

- **Problem.** When you attempt an installation, the following message appears:

```
Please rerun this installation procedure as  
the informix user.
```

Solution. Check that you are logged in as user **informix**.

- **Problem.** When you attempt an installation, the following message appears:

```
INFORMIXDIR is not set.
```

Solution. Set the **INFORMIXDIR** environment variable to the directory where the product will be installed. The installation script does not set the **INFORMIXDIR** environment variable for you.

- **Problem.** When you attempt an installation, the following message appears:

```
INFORMIXDIR and working directory do not match.
INFORMIXDIR = pathname_x
Current working directory = pathname_y
```

Solution. Make sure that you are in `$INFORMIXDIR`, the directory into which you want to install the products when you invoke the installation script.

- **Problem.** After you enter the License S/N, the following message appears as different directories are installed:

```
"WARNING: This is an invalid serial number.
Exiting install script."
```

Solution. Make sure you enter the correct License S/N value.

- **Problem.** After you enter the License S/N or Key, one of the following messages appears as different directories are installed:

```
"WARNING: This is an invalid serial number.
Exiting install script."
```

```
etc/brand: invalid serial number and/or key.
** Verify serial number and key values. **
** Restart installation procedure.      **
** Please type carefully.              *
```

Solution. Make sure that you enter the correct License S/N and Key values.

If the error appears again, run the `stty` command:

```
stty erase CTRL-h
```

Tip: `CTRL-h` looks like `^H` on the screen.

Then, rerun the installation script (see [page 12](#)) and repeat all subsequent steps.

If the installation fails again, reload the product files (see [“Running the UNIX Bundle Installer” on page 12](#)) and repeat all subsequent steps.



- **Problem.** After you enter the Key, the following message appears as different directories are installed:

```
Unknown message number 32766.
```

Solution. Set the **INFORMIXDIR** environment variable before you run the installation script. Rerun the installation script (see [page 12](#)) and repeat all subsequent steps.

- **Problem.** When you run the **./installserver** or the **./installids** script, the following message appears:

```
chown filename: Not owner.
```

Solution. Remove **\$INFORMIXDIR** and all its files. Then follow the procedures in “[Preparing to Install for the First Time](#)” on [page 10](#) and perform all subsequent steps.

Solving Problems After Installation

The problems in this section relate to difficulties accessing Informix products after installation.

- **Problem.** You try to run an Informix product program from the command line (or alternative method), and you receive only a system prompt or the following (or a similar) message:

```
program: Command not found.
```

Solution. Verify that the environment variables are set properly (see “[Setting Up the Environment](#)” on [page 16](#)).

If the environment variables are set correctly, check if another file with the same name exists in your search path that would be accessed before the Informix executable file. Move, rename, or delete that file, or reorder the search path so that the path in which the Informix executable resides precedes the path in which the conflicting executable resides.

- **Problem.** You try to invoke an Informix product from the command line (or alternative method), but you get the following (or a similar) message:

```
Unknown message number 32766
```

Solution. Verify that the **INFORMIXDIR** environment variable is set correctly. If you changed the default settings for the **DBLANG** and **CLIENT_LOCALE** environment variables, change them back to the default, and try to invoke the Informix product again (see [“Setting Up the Environment” on page 16](#)).

- **Problem.** You try to call an Informix product from the command line (or through an alternative method), but you get the following (or a similar) message:

```
Invalid serial number or mistyped key. Please consult your  
installation instructions.
```

Solution. Place **\$INFORMIXDIR/bin** first in the **PATH** environment variable, rerun the installation script (see [page 12](#)), and repeat all subsequent steps.

- **Problem.** You try to send a command to an Informix product from the command line (or through an alternative method), but you receive the following (or a similar) message:

```
cannot attach to shared memory
```

Solution. Before you use the database server, bring it to online mode. See the chapter on managing database server modes in the *Administrator's Guide*.

Solving Problems Using Informix Products

The problems in this section relate to product usage.

- **Problem.** The list of databases is incomplete.
Solution. Check that the **DBPATH** environment variable contains the names of all other database servers not referenced by the **INFORMIXSERVER** environment variable.
- **Problem.** After you access an Informix application, the screen display is unformatted.
Solution. Verify that the **TERM**, **TERMCAP** (or **TERMINFO**), and **INFORMIXTERM** environment variables are set correctly (see “[Setting Up the Environment](#)” on page 16).
- **Problem.** You successfully install your Informix products and you successfully invoke the database server, but you cannot connect to the database server.
Solution. Check that your environment variables and your **sqlhosts**, **/etc/hosts**, and **/etc/services** files do not contain typographical errors, misspellings, or inconsistencies.
If you use a network information system, check that the changes you make to the **services** file are properly accessed and available to your computer.
Check that the database server is configured correctly. See the chapter on client/server connectivity in the *Administrator's Guide*.
- **Problem.** Unusual problems occur (for example, networking problems on Hewlett-Packard computers or unexplainable failures on Sun computers).
Solution. Your system might need a patch. Read the machine notes file for advice on patch information. For more information, see “[Documentation Notes, Release Notes, Machine Notes](#)” on page 3.

Using Alternative Installation Programs

This appendix describes how to use alternative installation programs to install Informix products on your system:

- Install on Linux using the RedHat Package Manager (RPM) ([page C-1](#)). ♦
- Install on UNIX (Siemens) using **pkgadd** ([page C-5](#)).

To install the database server using the Informix UNIX Bundle Installer (**ids_installer**), see [“Installing on UNIX and Non-RPM Installed Linux” on page 10](#). ♦

If you encounter difficulties during installation, see [Appendix B, “Solving Installation Problems.”](#) ♦

To install Informix products on a Linux system using RPM

1. Follow the relevant steps in [“Preparing to Install Informix Products” on page 4](#) and fill out the [“Installation Checklist” on page 6](#).
2. Uninstall any previous versions of the database server, if necessary.

Important: RPM requires that you uninstall the old version of the database server before you install the new version.

See [“Uninstalling a Package Using RPM” on page C-2](#).

3. If you are configuring role separation, follow the steps in [“Preparing for Role Separation” on page A-2](#).
4. Log in as **root**.

Linux

UNIX

Linux



5. Verify that the RPM package is installed on your system and install it, if necessary. For more information, see the **rpm** manual pages.

To obtain a copy of RPM, see the RPM Website at <http://www.rpm.org>.

6. Insert the media into the appropriate drive of your computer and use the **mount** command to mount the drive that contains the Informix package files. For more information, see the **mount** manual page.
7. Change directories to the location of the Informix package files.
8. Load the contents of the Informix package file. For example:

```
INFORMIXDIR=/opt/informix/LE; export INFORMIXDIR  
rpm -iv --relocate /opt/informix $INFORMIXDIR *.rpm
```

This example loads all Informix packages located in the current directory to the directory that **\$INFORMIXDIR** (**/opt/informix/LE**) specifies.

9. Enter the 11-character License S/N ([page 5](#)).
10. Enter the six-letter Key ([page 5](#)).

After you enter the installation command or finish role-separation configuration, the script displays information about the product as well as the script requirements.

When you finish the installation, follow these steps to complete Informix product configuration:

11. Set up the environment ([page 16](#)).
12. Test the installation ([page 19](#)).
13. Configure the database server and other Informix products ([page 20](#)).



Uninstalling a Package Using RPM

Important: You must uninstall the old version of the database server before you install the new version with RPM.

To uninstall a package using RPM

1. Log in as **root**.
2. Use **rpm -qi** to determine the name, version, and release of the package.
3. Use **rpm -e** to remove the product files and directories, as well as the corresponding entry in the RPM database.

Do not use the longer name of the package file.

For example, the following commands query the RPM database for Dynamic Server and uninstall the database server:

```
$ rpm -qi ids
Version      : 9.20.UC5
Release     : 1
. . .
$ rpm -ev ids-9.20.UC5-1
```

For more information, see <http://www.rpm.org> or the **rpm** manual pages.

Linux

Solving RPM Failures

The following problems might occur while you use the **rpm** utility to load or unload an Informix package:

- **Problem.** The command displays one of the following messages:

```
ERROR: You must be root to install product.
ERROR: You must be root to uninstall product.
```

Solution. Check that you are logged in as user **root**.

- **Problem.** The command displays the following message:

```
ERROR: Failed to locate directory with write permissions.
```

Solution. Check that you are logged in as user **root**. Use the **chmod** command to grant write permission on the current directory and then run **rpm** again.

- **Problem.** The command displays one of the following messages:

```
ERROR: User informix must exist to install product.  
ERROR: Group informix must exist to install product.
```

Solution. Follow the instructions in [“Preparing to Install for the First Time” on page 10](#) to create the necessary user or group.

- **Problem.** The command displays the following message:

```
package product is already installed  
ERROR: product.rpm cannot be installed
```

Solution. If you want to reinstall the product, uninstall the previous package, as described in [“Uninstalling a Package Using RPM” on page C-2](#).

- **Problem.** The command displays the following message:

```
rpm: arguments to --relocate must begin with a /
```

Solution. If you relocate the package installation directory by selecting a target directory other than the default, you must specify an absolute pathname for the target directory. For example:

```
rpm -iv --relocate /opt/informix=$INFORMIXDIR *.rpm
```

Installing on Siemens UNIX Using pkgadd

Siemens platforms require you to use the **pkgadd** utility.

To install Informix products on Siemens platforms only using the **pkgadd** utility

1. Follow the relevant steps in “[Preparing to Install Informix Products](#)” on page 4 and fill out the “[Installation Checklist](#)” on page 6.
2. Uninstall any previous versions of the database server, if necessary.

Important: The **pkgadd** utility requires that you uninstall the old version of the database server before you install the new version.

For more information, see your operating-system manual.

3. Verify that your **/tmp** directory has enough room to accommodate the products.
4. If you are configuring role separation, follow the steps in “[Preparing for Role Separation](#)” on page A-2.
5. Log in as **root**.
6. Load the media supplied with your software into the appropriate drive of your computer. Enter one of the following commands:
 - To load from a tape device, enter:


```
pkgadd -d tape_device
```

 where *tape_device* is the name of your tape device.
 - To load from a CD-ROM, enter:


```
mount -F hs -o dos device_file mount_directory
pkgadd -d mount_directory/prodimag
```

 where *device_file* is the name of the CD-ROM and *mount_directory* is the location where you mounted the CD-ROM.
7. Enter the 11-character License S/N ([page 5](#)).
8. Enter the six-letter Key ([page 5](#)).
9. If prompted, enter the absolute pathname of the directory where you want to install the products (**\$INFORMIXDIR**). (On some platforms the script prompts you for this directory.)
10. At the prompt, choose the role separation option. For more information, see “[Setting Up Role Separation](#)” on page A-1.



When you finish the installation, follow these steps to complete Informix product configuration:

11. Set up the environment ([page 16](#)).
12. Test the installation ([page 19](#))
13. Configure the database server and other Informix products ([page 20](#)).

Index

A

AAO group, creating A-3
 AAO user account
 creating A-3
 description of A-2
 setting the group name 14
 Accounts. *See* User accounts.
 Activation key. *See* Key.
 Administrative
 groups, creating A-3
 roles, for role separation A-3
 admintool utility 10
 ALL product code, silent
 installation A-5
 Allowing read-only users 15
 Archive, preparing for multiple
 residency A-13
 Auditing Analysis Officer. *See* AAO
 user account.
 Auditing. *See* Role separation.

B

Backups, preparing for multiple
 residency A-13
 Blobspaces, and multiple
 residency A-12
 Bundle Installer 12

C

Cannot attach to shared memory
 error message B-5
 Checklist. *See* Installation Checklist.
 Chunks, and multiple
 residency A-12
 Client
 applications, testing A-8
 products, local 12
 Client SDK, installing. *See the*
 "*Client Products Installation*
 Guide."
 CLIENT_LOCALE environment
 variable
 problems B-5
 setting 16
 Configuration file, multiple
 residency A-10
 Configuring
 database server 20
 demonstration database server 13
 Informix products 20
 ISA 15
 multiple residency A-8
 private installations A-5
 read-only users 8
 role separation A-1
 silent installation A-4
 Connectivity, configuring for
 multiple residency A-12
 Creating
 AAO group A-3
 AAO user account A-3
 administrative accounts A-3
 administrative groups A-3
 DBSSO group A-3

DBSSO user account A-3
 informix group 10
 informix user account 10
 INFORMIXDIR directory 12
 multiple database servers A-8,
 A-10
 private installation A-6

D

Database server
 assigning group access 14
 configuring 20
*See also the "Administrator's
 Guide."*
 creating multiple A-8, A-10
 environments, separating A-8
 installation order 9
 installing
 local client products 12
 on Linux 1
 on UNIX 1
 with role separation A-4
 introduction to. *See the "Getting
 Started" manual.*
 migrating. *See the "Migration
 Guide."*
 preparing to install 4
 private installation A-5
 running multiple A-8
 tuning. *See the "Performance
 Guide."*
 upgrading 4
See the "Migration Guide."
 Database System Security Officer.
See DBSSO user account.
 Datablade modules, installing. *See*
 Datablade module
 documentation.
 dbaccessdemo script 19
 DBLANG environment variable
 problems B-5
 setting 17
 DBPATH environment
 variable B-6

DBSERVERNAME parameter
 multiple residency A-11
*See also the "Administrator's
 Reference."*
 Dbspaces, multiple residency A-12
 DBSSO group, creating A-3
 DBSSO user account
 creating A-3
 description of A-2
 setting the group name 14
 Default
 installation directory, Linux 12
 language message files 17
 Demonstration database server,
 configuring 13
 Difficulties
 accessing products B-4
 using products B-6
 Disabling role separation A-2
 Disk space, for multiple
 residency A-12
 Documentation notes 3
 Documentation, types of
 documentation notes 3
 machine notes 3
 online files 3
 related reading 2
 release notes 3

E

Enabling role separation A-4
 Environment variables
 CLIENT_LOCALE 16, B-5
 DBLANG 17, B-5
 DBPATH B-6
 INFORMIXDIR 12, 16, 20, B-5
 INFORMIXSERVER 17, 20, A-14,
 B-6
 INFORMIXSQLHOSTS 17
 INFORMIXTERM 17, B-6
 INF_ROLE_SEP 14, A-4
 LD_LIBRARY_PATH 18
 LIBPATH 18
 local-specific 16
 ONCONFIG 20
 ONCONFIG, multiple
 residency A-10

PATH 16, 20, B-5
 platform-specific 16
 setting 16
 shared-library path 18
 SHLIB_PATH 18
 TERM 17, B-6
 TERMCAP 17, B-6
 TERMINFO 17, B-6
 /etc/group file, modifying 10
 /etc/hosts file
 multiple residency A-12
 problems B-6
 /etc/passwd file, modifying 11
 /etc/services file
 multiple residency A-12
 port number 7, 8
 problems B-6
 /etc/terminfo directory 17
 /etc/termcap file 17
 Event auditing. *See* Role separation.
 Example silent installation A-5

G

Group informix, creating 10
 groupadd utility 10
 Groups
 AAO A-3
 creating
 administrative A-3
 informix 11
 DBSSO A-3

H

Host name
 ISA 7
 specifying 15
 HTTP server password
 ISA 7
 specifying 15

I

ICONNECT product code, silent installation A-5
 IDS product code, silent installation A-5
 ids_installer script 12
 running 12
 silent installation A-4
 solving problems B-2
 informix account A-3
 Informix Connect, installing 9
 .informix file, multiple residency A-14
 informix group
 creating 10
 security 11
 Informix products
 configuring 20
 preparing to install 4
 selecting to install 6
 uninstalling 15
 uninstalling with RPM C-3
 Informix Server Administrator. *See* ISA.
 Informix Technical Support,
 contacting B-1
 Informix tools, installing. *See* tools documentation.
 informix user
 creating 10
 password 7
 security 11
 INFORMIXDIR
 aadir directory 14
 bin directory
 setting in PATH 16, B-5
 dbssodir directory 14
 demo/server directory 19
 demo/server/online.log file 19
 demo/server/profile_settings file 15, 19
 etc/onconfig.demo file 19
 etc/termcap file 18
 ISA/sbin/isactl command 20
 lib directory 18
 msg/lg_tr/code_set directory 17

INFORMIXDIR directory
 creating 12
 installing into B-3
 ownership 15
 INFORMIXDIR environment
 variable
 resetting B-5
 setting 12, 16
 setting in startup script 20
 INFORMIXSERVER environment
 variable
 database servers referenced by B-6
 multiple residency A-14
 setting 17
 setting in startup script 20
 INFORMIXSQLHOSTS
 environment variable,
 setting 17
 INFORMIXTERM environment
 variable
 setting 17
 verifying B-6
 informix.rc file, and multiple residency A-14
 INF_ROLE_SEP environment
 variable, setting 14, A-4
 Initializing disk space for multiple residency A-12
 Installation
 creating private A-6
 order for Informix products 9
 silent A-4
 solving common problems B-1
 specialized A-1
 testing 19
 Installation Checklist 6
 Installing
 Client SDK. *See the "Client Products Installation Guide."*
 database server with role separation A-4
 datablade modules. *See* Datablade documentation.
 Informix Connect
 See tools documentation.

Informix tools
 See tools documentation.
 on Linux system C-1
 on non-RPM installed Linux 10
 on UNIX 10
 using pkgadd C-5
 using RPM C-1
 installserver script
 private installation A-7
 solving problems B-2
 Introduction to database servers.
 See the "Getting Started" manual.
 Invalid key B-2
 Invalid license serial number B-2
 IPX/SPX, and multiple residency A-12
 ISA
 administrator email address 7
 Configuration Checklist 7
 configuring 15
 host name 7
 HTTP server password 7
 port number 7, 8
 read-only users 8
 starting 20

J

Java runtime executable (JRE) 15
 JRE. *See* Java runtime executable.

K

Key
 description of 6
 entering 14, C-2, C-5
 invalid B-2
 locating 5

L

- LD_LIBRARY_PATH environment variable, setting 18
- LIBPATH environment variable (AIX), setting 18
- License serial number
 - description of 6
 - entering 14, C-2, C-5
 - invalid B-2
 - locating 5
- Linux
 - default installation directory 12
 - installing Informix products 1, 10
 - installing using RPM C-1
 - operating system patches 4
 - /opt/informix directory C-2
- Locale, environment variables 16
- Locating
 - key 5
 - license serial number 5

M

- Machine notes 3
- Memory, and multiple residency A-9
- Migrating from a different database server. *See the "Migration Guide."*
- Mirroring, and multiple residency A-12
- MIRROROFFSET parameter
 - multiple residency A-12
 - See also the "Administrator's Reference."*
- MIRRORPATH parameter
 - multiple residency A-12
 - See the "Administrator's Reference."*
- Modes. *See the "Administrator's Guide."*
- MSGPATH parameter
 - multiple residency A-11
 - See also the "Administrator's Reference."*
- Multiple database servers A-8

- Multiple residency
 - archiving A-13
 - assigning chunks A-12
 - backups A-13
 - blobspaces A-12
 - configuring A-8
 - DBSERVERNAME
 - parameter A-11
 - dbspaces A-12
 - definition of A-8
 - /etc/hosts file A-12
 - .informix file A-14
 - INFORMIXSERVER environment variable A-14
 - informix.rc file A-14
 - initializing disk space A-12
 - IPX/SPX A-12
 - isolating applications A-8
 - MIRROROFFSET
 - parameter A-12
 - MIRRORPATH parameter A-12
 - MSGPATH parameter A-11
 - multiple binaries A-9
 - planning A-8
 - requirements A-9
 - ROOTOFFSET parameter A-11
 - ROOTPATH parameter A-11
 - separate configuration files A-8
 - SERVERNUM parameter A-11
 - shutdown script A-14
 - sqlhosts file A-12
 - startup script A-13
 - use for testing A-8

N

- NetWare server, and multiple residency A-12

O

- ON-Bar, preparing for multiple residency A-13
- ONCONFIG environment variable
 - multiple residency A-10
 - setting in startup script 20
- ONCONFIG file
 - multiple residency A-10
 - sample 19
- ONCONFIG parameters. *See Parameters.*
- oninit command 15, A-7
- ontape, preparing for multiple residency A-13
- Operating system, patches 4
- /opt/informix directory, Linux 12, C-2

P

- Parameters
 - DBSERVERNAME A-11
 - MIRROROFFSET A-12
 - MIRRORPATH A-12
 - MSGPATH A-11
 - ROOTOFFSET A-11
 - ROOTPATH A-11
 - SERVERNUM A-11
- Password
 - HTTP server 7
 - informix user 7
- PATH environment variable
 - setting 16
 - setting in startup script 20
 - setting INFORMIXDIR/bin directory B-5
- Performing a silent installation A-4
- Permissions, private
 - installation A-6
- pkgadd utility C-5
- Planning
 - for multiple residency A-8
 - for role separation A-2
 - product installation 4
- Platform, environment variables 16

Port number
 /etc/services file 7, 8
 specifying 7, 8, 15

Preparing
 for multiple residency A-8
 for private installation A-6
 for role separation A-2
 for silent installation A-4
 to install Informix products 10

Preserving earlier versions 12

Previous versions, upgrading
 from 4

Private installation
 configuring A-5
 creating A-6
 definition of A-5
 installserver script A-7
 permissions A-6
 purpose A-5
 restrictions A-6

Problems, solving B-1

Product codes for silent
 installation A-5

R

Read-only users
 allowing 15
 defined 8
 ISA 8

Red Hat Package Manager. *See*
 RPM.

Related reading 2

Release notes 3

Removing Informix products. *See*
 Uninstalling.

Requirements, multiple
 residency A-9

Restrictions, private
 installation A-6

Role separation
 AAO group A-3
 AAO user account A-3
 activating at installation time A-2
 administrative roles A-3
 configuring A-1
 DBSSO group A-3
 DBSSO user account A-3

description of 5

disabling A-2

enabling A-4

INF_ROLE_SEP environment
 variable 14, A-4

installing the database server
 with A-4

user account names A-3
*See also the "Trusted Facility
 Manual."*

root account A-3

ROOTOFFSET parameter
 multiple residency A-11
*See also the "Administrator's
 Reference."*

ROOTPATH parameter
 multiple residency A-11
*See also the "Administrator's
 Reference."*

RPM
 installing on Linux C-1
 obtaining C-2
 solving problems C-3
 uninstalling packages C-3
 website C-2

rpm command, examples C-2

Running
 ids_installer script 12
 multiple database servers A-8
 UNIX Bundle Installer 12

S

Scripts
 dbaccessdemo 19
 ids_installer 12, A-4
 installserver A-7
 system shutdown 20, A-14
 system startup 20, A-13

Security
 assigning group access to
 database server 14
 informix group 11
 informix user 11
 isolating applications with
 multiple residency A-8
 setting up role separation A-1

Separating
 administrative roles, DBSSO and
 AAO user accounts A-2

database server
 environments A-8

Serial number. *See* License serial
 number.

Server Setup, Configuration
 Checklist 8

SERVENUM parameter
 multiple residency A-11
*See also the "Administrator's
 Reference."*

Shared-library path environment
 variable
 private installation A-7
 setting 18

SHLIB_PATH environment
 variable (HP-UX) setting 18

Shutdown script
 modifying 20
 multiple residency A-14

Siemens UNIX, installing with
 pkgadd C-5

Silent installation
 definition of A-4
 example A-5
 performing A-4
 product codes A-5

Solving
 ids_installer script problems B-2
 installation problems B-1
 installserver script problems B-2
 post-installation problems B-4
 RPM failures C-3

Specialized installations A-1

Specifying
 host name 15
 HTTP server password 15
 ISA administrator email
 address 15
 port number 15

sqlhosts file
 fixing errors in B-6
 multiple residency A-12

Starting ISA 20

Startup script
 modifying 20
 multiple residency A-13

Storage space, and multiple
 residency A-9
 stty command B-3
 syscdr database 19
 sysmaster database 19
 System shutdown script
 modifying 20
 multiple residency A-14
 System startup script
 modifying 20
 multiple residency A-13
 sysutils database 19

T

Target directory, private
 installation A-6
 TCP/IP, multiple residency A-12
 Technical support, contacting B-1
 TERM environment variable
 setting 17
 verifying B-6
 TERMCAP environment variable
 setting 17
 verifying B-6
 TERMINFO environment variable
 setting 17
 verifying B-6
 Testing
 environments A-8
 installation 19
 Troubleshooting
 ids_installer script problems B-2
 installation problems B-1
 installserver script problems B-2
 must be root to install
 product C-3
 post-installation problems B-4
 RPM failures
 user informix must exist to install
 product C-4

U

Uninstalling
 Informix products 15
 using RPM C-3
 UNIX Bundle Installer 12
 UNIX, installing Informix products
 on 1, 10
 Upgrading
 database server 4
 from previous versions 4
See also the "Migration Guide."
 Upgrading the database server 4
 User accounts
 AAO 14
 creating administrative A-3
 DBSSO 14
 for role separation A-3
 informix
 creating 10
 security 11, A-3
 read-only 8
 root
 security 11, A-3
 standard users in role
 separation A-3
 User informix, creating 10
 useradd utility 10
 Utilities
 admintool utility 10
 groupadd 10
 RPM C-3
 useradd 10
 ypmake 11

V

Variables. *See* Environment
 variables.
 Versions, preserving 12

Y

ypmake utility 11